


The PALTIER CORPORATION

1711 Kentucky Street - Michigan City, Indiana

Phone 219 - TR 2-7238



"THRESHOLDER"

June 16, 1966

Mr. J. Nelson
Box 1546
Poughkeepsie, New York 12603

Dear Mr. Nelson:

Enclosed is literature describing the "Thresholder" - a new device for anchoring metal thresholds.

Loose thresholds have plagued the building industry since metal thresholds were invented, and until now, no completely satisfactory method has been developed to solve the problem.

The "Thresholder" consists of a #12 ga. steel Channel which is imbedded in the concrete. Sliding, rotating steel discs tapped for 12 - 24 and 1/4" machine screws provide the means for fastening the thresholds.

The threshold can be located accurately in position even though the Channel is not accurately positioned with the door jambs. The rotating discs permit the threshold to be moved up to 3/4" each side of the center line, straight or skewed.

Damaged thresholds are easily removed and replaced. When a new threshold with additional screw holes is used, simply add one or more discs. Your builders hardware supplier will carry component parts in stock.


No tools other than a screwdriver and a pencil are necessary to install a threshold over the "Thresholder".

"Thresholders" are stocked in lengths of 30", 36", 48" and 60". Other lengths available on request. "Thresholders" can be obtained for installation in concrete or wood sub-floors.

We appreciate your interest in this new product, and hope you will specify it wherever metal thresholds are used.

Yours very truly,

THE PALTIER CORPORATION





Leroy F. Skubic
President

LFS:pb
Enc.


The "THRESHOLDER" by PALTIER

PATENTED


ELIMINATES LOOSE THRESHOLDS




STOP LOOSE THRESHOLDS **GO** PALTIER THRESHOLDER



DIMENSIONS



FLOATING DISC
with 1/4-20 and 12-24 thread



**SECTION THROUGH
INSTALLED UNIT**

FEATURES

1. THRESHOLDER installs easily without tools.
2. THRESHOLDER with floating discs provides an excellent and positive method for anchoring metal thresholds.
3. THRESHOLDER permits adjustments laterally up to one-inch at each end.
4. THRESHOLDER channel anchor assures positive locking of unit into the concrete.
5. THRESHOLDER is a rugged channel of 12 ga. formed steel. Floating discs are 10 ga.
6. THRESHOLDER design provides a channel anchor and one floating disc for every lineal foot. Additional discs can be furnished if desired.
7. THRESHOLDER KIT is supplied with complete instructions for installation. (no tools necessary except screw-driver)
8. Standard lengths are 30" - 36" - 48" and 60" (special lengths furnished you on request)
9. Standard finish on channels is one shop coat synthetic enamel, air dry. May also be had in galvanized finish at extra cost. Discs are zinc plated.

TWO INSTALLATIONS




REGINA HIGH SCHOOL
PRINCE GEORGES COUNTY
HYATTSVILLE, MARYLAND
Johnson and Boutin, Architects




EARL B. WOOD JUNIOR HIGH SCHOOL
NORBECK, MARYLAND
Duane and Lawrence, Architects
Washington, D. C.

SIMPLE INSTALLATION




1. Locate Threshold in position, grout concrete around it. Do not remove cardboard filler until Threshold is ready to be set.




2. Set Threshold in desired position. Mark location of holes in bottom of Threshold with pencil or nail.



3. Locate discs so that pencil mark and screw holes line up.



4. Insert screws in discs. Set Threshold in mastic if desired.



5. Draw up discs tight against channel flanges. Threshold is ready for use.

THE PALTIER CORPORATION

1701 KENTUCKY STREET, MICHIGAN CITY, INDIANA
ZIP CODE 46360

PHONE: AREA CODE 219 — 872-7238

SOLD BY

The PALTIER CORPORATION

1711 Kentucky Street - Michigan City, Indiana

Phone 219 - TR 2-7238



"THRESHOLDER"

June 30, 1965

PRICE LIST

THE FOLLOWING PRICES WILL BE EFFECTIVE AS OF AUGUST 1, 1965.

Terms: 2% 10 days; 30 days net.

LENGTH	NUMBER OF DISCS	SHIPPING WEIGHT	PRICE - EACH
30"	3	4-1/2 Lbs.	\$ 8.80
36"	3	5 Lbs.	9.10
48"	4	6-3/4 Lbs.	10.60
60"	5	8-1/2 Lbs.	12.50

ADDITIONAL DISCS 80¢ each.

THERE WILL BE A SERVICE AND HANDLING CHARGE OF \$2.00 FOR EACH INDIVIDUAL SHIPMENT AMOUNTING TO LESS THAN \$25.00 NET.

ALL PRICES ABOVE ARE F.O.B. MICHIGAN CITY, INDIANA, AND SUBJECT TO CHANGE WITHOUT NOTICE.